

# Math 198, Section 4, Test 1

February 6, 2008

---

**Name:**

Pledged

Honor code: I have neither given nor received help on this test.

---

1. (15 pts) Give the explicit form of the solution to the initial value problem

$$(e^x + e^{-x}) \frac{dy}{dx} = 1 + y^2 \quad \text{subject to } y(0) = 0.$$

Determine the largest interval on which the solution is defined.

Hint: You may find useful to know that

$$\tan(\alpha + \beta) = \frac{\tan(\alpha) + \tan(\beta)}{1 - \tan(\alpha)\tan(\beta)}.$$

2. (30 pts) Solve the differential equations

(a)  $3\frac{dy}{dx} + 12y = 4$

(b)  $\frac{dP}{dt} + 2tP = P + 4t - 2$

(c)  $y dx = (ye^y - 2x) dy$

3. (20 pts) Explain why a solution to the initial value problem

$$(1 - y + 3x) \frac{dy}{dx} + 3y = x - 1, \quad y(2) = 1,$$

exists and is unique on some interval  $(2 - h, 2 + h)$ ,  $h > 0$ . You should state clearly any theorem that you use. Find this solution in implicit form.

4. (15 pts) A thermometer reading  $50^{\circ}C$  is placed in an oven preheated to a constant temperature. Through a glass window in the oven door, an observer records that the thermometer reads  $100^{\circ}C$  after 1 minute and  $150^{\circ}C$  after 2 minutes. How hot is the oven? (Note: the original version above contained a misprint: the initial temperature should be  $40^{\circ}C$  instead of  $50^{\circ}C$ .)

5. (20 pts) Using the method of your choice, solve the differential equation

$$\frac{dy}{dx} = \frac{-x + y}{3x + y}.$$

SCRATCH PAPER

SCRATCH PAPER

SCRATCH PAPER